ELSEVIER

Molecular Brain Research 78 (2000) 218–219

MOLECULAR BRAIN RESEARCH

www.elsevier.com/locate/bres

Author index

Allen, S.J., see Smith, S.K.F. (78) 100
Anderson, H.A., see Smith, S.K.F. (78) 100
Aruga, J., Shimoda, K. and Mikoshiba, K.
A 5′ segment of the mouse *Zic1* gene contains a region specific enhancer for dorsal hindbrain and spinal cord (78) 15

Baas, D., Bumsted, K.M., Martinez, J.A., Vaccarino, F.M., Wikler, K.C. and Barnstable, C.J.
The subcellular localization of OTX2 is cell-type specific and developmentally regulated in the mouse retina (78) 26
Barnstable, C.J., see Baas, D. (78) 26
Bevilaqua, L., see Paratcha, G. (78) 120
Beyer, C., see Caba, M. (78) 69
Bickford, P., see Eckles-Smith, K. (78) 154
Blume, A., see Stroth, U. (78) 175
Browning, M.D., see Eckles-Smith, K. (78) 154
Bumsted, K.M., see Baas, D. (78) 26

Caba, M., Pau, K.-Y.F., Beyer, C., Gonzalez, A., Silver, R. and Spies, H.G.
Coitus-induced activation of c-fos and gonadotropin-releasing hormone in hypothalamic neurons in female rabbits (78) 69
Cammarota, M., see Paratcha, G. (78) 120
Castelli, M.P., Mocci, I., Langlois, X., Gommeren, W., Luyten, W.H.M.L., Leysen, J.E. and Gessa, G.L.
Quantitative autoradiographic distribution of γ-hydroxybutyric acid binding sites in human and monkey brain (78) 91
Chang, W.-T., see Wang, H.-L. (78) 146
Chen, L., Cooper, N.G.F. and Mower, G.D.
Developmental changes in the expression of NMDA receptor subunits (NR1, NR2A, NR2B) in the cat visual cortex and the effects of dark rearing (78) 196
Chen, M.-S., see Wang, H.-L. (78) 146
Chiba, T., see Ino, H. (78) 163
Choi, E.J., see Ha, C.M. (78) 59
Choi, W.S., see Ha, C.M. (78) 59
Christjansen, K.N., see Poulsen, C.F. (78) 201
Chun, S.Y., see Ha, C.M. (78) 59
Clayton, D., see Eckles-Smith, K. (78) 154
Cooper, N.G.F., see Chen, L. (78) 196

Dawbarn, D., see Smith, S.K.F. (78) 100
de Iraldi, A.P., see Paratcha, G. (78) 120
de Stein, M.L., see Paratcha, G. (78) 120
Dorsa, D.M., see McMillan, P.J. (78) 138

Ebihara, S., see Yoshimura, T. (78) 207
Eckles-Smith, K., Clayton, D., Bickford, P. and Browning, M.D.
Caloric restriction prevents age-related deficits in LTP and in NMDA receptor expression (78) 154

Fang, W., see Wang, H.-L. (78) 146
Fraser, P.E., see Smith, S.K.F. (78) 100
Fukushima, N., see Hamabe, W. (78) 186

Gessa, G.L., see Castelli, M.P. (78) 91
Goksøyr, A., see Øyan, A.M. (78) 38
Gommeren, W., see Castelli, M.P. (78) 91
Gonzalez, A., see Caba, M. (78) 69
Granier, C., see Torreilles, F. (78) 181

Ha, C.M., Kang, J.H., Choi, E.J., Kim, M.S., Park, J.-W., Kim, Y., Choi, W.S., Chun, S.Y., Kwon, H.B. and Lee, B.J.
Progesterone increases mRNA levels of pituitary adenylate cyclase-activating polypeptide (PACAP) and type I PACAP receptor (PAC_1) in the rat hypothalamus (78) 59
Hamabe, W., Fukushima, N., Yoshida, A. and Ueda, H.
Serum-free induced neuronal apoptosis-like cell death is independent of caspase activity (78) 186
Hara, Y., see Yamamoto, Y. (78) 108
Hartvig, L., see Poulsen, C.F. (78) 201
Hastrup, S., see Poulsen, C.F. (78) 201
Ho, I.K., see Jang, C.-G. (78) 204
Holmqvist, B., see Øyan, A.M. (78) 38

Ino, H. and Chiba, T.
Expression of proliferating cell nuclear antigen (PCNA) in the adult and developing mouse nervous system (78) 163
Izquierdo, I., see Paratcha, G. (78) 120

Jang, C.-G., Park, Y., Tanaka, S., Ma, T., Loh, H.H. and Ho, I.K.
Involvement of μ-opioid receptors in potentiation of apomorphine-induced climbing behavior by morphine: studies using μ-opioid receptor gene knockout mice (78) 204

Kang, J.H., see Ha, C.M. (78) 59
Kato, A., see Taniguchi, M. (78) 131
Kim, M.S., see Ha, C.M. (78) 59
Kim, Y., see Ha, C.M. (78) 59
Kobayashi, A., see Taniguchi, M. (78) 131
Kobayashi, S., see Murata, S. (78) 80
Kohmura, E., see Taniguchi, M. (78) 131
Kumura, E., see Taniguchi, M. (78) 131
Kuroiwa, A., see Yoshimura, T. (78) 207
Kwon, H.B., see Ha, C.M. (78) 59

Langlois, X., see Castelli, M.P. (78) 91
Lee, B.J., see Ha, C.M. (78) 59
Leverenz, J.B., see McMillan, P.J. (78) 138
Levesque, M.F., see Palm, K. (78) 192
Leysen, J.E., see Castelli, M.P. (78) 91
Li, A.H., see Wang, H.-L. (78) 146
Loh, H.H., see Jang, C.-G. (78) 204
Lopez, M., see Paratcha, G. (78) 120
Luyten, W.H.M.L., see Castelli, M.P. (78) 91

Ma, T., see Jang, C.-G. (78) 204
Mack, K.J., see Nanda, S.A. (78) 1
Makino, E., see Yoshimura, T. (78) 207
Martinez, J.A., see Baas, D. (78) 26
Maruno, M., see Taniguchi, M. (78) 131
Mason, G., see Smith, S.K.F. (78) 100
Matsuda, Y., see Yoshimura, T. (78) 207
Matute, C., see Morán-Jiménez, M.-J. (78) 50
McMillan, P.J., Leverenz, J.B. and Dorsa, D.M.
Specific downregulation of presenilin 2 gene expression is prominent during early stages of sporadic late-onset Alzheimer's disease (78) 138
Medina, J.H., see Paratcha, G. (78) 120
Mielke, K., see Stroth, U. (78) 175
Mikoshiba, K., see Aruga, J. (78) 15
Mocci, I., see Castelli, M.P. (78) 91
Morán-Jiménez, M.-J. and Matute, C.
Immunohistochemical localization of the $P2Y_1$ purinergic receptor in neurons and glial cells of the central nervous system (78) 50
Mourton-Gilles, C., see Torreilles, F. (78) 181
Mower, G.D., see Chen, L. (78) 196
Murata, S., Usuda, N., Okano, A., Kobayashi, S. and Suzuki, T.
Occurrence of a transcription factor,

0169-328X/00/$ – see front matter © 2000 Elsevier Science B.V. All rights reserved.
PII: S0169-328X(00)00125-X

ELSEVIER

Molecular Brain Research 78 (2000) 218–219

MOLECULAR BRAIN RESEARCH

www.elsevier.com/locate/bres

Author index

Allen, S.J., see Smith, S.K.F. (78) 100
Anderson, H.A., see Smith, S.K.F. (78) 100
Aruga, J., Shimoda, K. and Mikoshiba, K.
A 5′ segment of the mouse *Zic1* gene contains a region specific enhancer for dorsal hindbrain and spinal cord (78) 15

Baas, D., Bumsted, K.M., Martinez, J.A., Vaccarino, F.M., Wikler, K.C. and Barnstable, C.J.
The subcellular localization of OTX2 is cell-type specific and developmentally regulated in the mouse retina (78) 26
Barnstable, C.J., see Baas, D. (78) 26
Bevilaqua, L., see Paratcha, G. (78) 120
Beyer, C., see Caba, M. (78) 69
Bickford, P., see Eckles-Smith, K. (78) 154
Blume, A., see Stroth, U. (78) 175
Browning, M.D., see Eckles-Smith, K. (78) 154
Bumsted, K.M., see Baas, D. (78) 26

Caba, M., Pau, K.-Y.F., Beyer, C., Gonzalez, A., Silver, R. and Spies, H.G.
Coitus-induced activation of c-fos and gonadotropin-releasing hormone in hypothalamic neurons in female rabbits (78) 69
Cammarota, M., see Paratcha, G. (78) 120
Castelli, M.P., Mocci, I., Langlois, X., Gommeren, W., Luyten, W.H.M.L., Leysen, J.E. and Gessa, G.L.
Quantitative autoradiographic distribution of γ-hydroxybutyric acid binding sites in human and monkey brain (78) 91
Chang, W.-T., see Wang, H.-L. (78) 146
Chen, L., Cooper, N.G.F. and Mower, G.D.
Developmental changes in the expression of NMDA receptor subunits (NR1, NR2A, NR2B) in the cat visual cortex and the effects of dark rearing (78) 196
Chen, M.-S., see Wang, H.-L. (78) 146
Chiba, T., see Ino, H. (78) 163
Choi, E.J., see Ha, C.M. (78) 59
Choi, W.S., see Ha, C.M. (78) 59
Christjansen, K.N., see Poulsen, C.F. (78) 201
Chun, S.Y., see Ha, C.M. (78) 59
Clayton, D., see Eckles-Smith, K. (78) 154
Cooper, N.G.F., see Chen, L. (78) 196

Dawbarn, D., see Smith, S.K.F. (78) 100
de Iraldi, A.P., see Paratcha, G. (78) 120
de Stein, M.L., see Paratcha, G. (78) 120
Dorsa, D.M., see McMillan, P.J. (78) 138

Ebihara, S., see Yoshimura, T. (78) 207
Eckles-Smith, K., Clayton, D., Bickford, P. and Browning, M.D.
Caloric restriction prevents age-related deficits in LTP and in NMDA receptor expression (78) 154

Fang, W., see Wang, H.-L. (78) 146
Fraser, P.E., see Smith, S.K.F. (78) 100
Fukushima, N., see Hamabe, W. (78) 186

Gessa, G.L., see Castelli, M.P. (78) 91
Goksøyr, A., see Øyan, A.M. (78) 38
Gommeren, W., see Castelli, M.P. (78) 91
Gonzalez, A., see Caba, M. (78) 69
Granier, C., see Torreilles, F. (78) 181

Ha, C.M., Kang, J.H., Choi, E.J., Kim, M.S., Park, J.-W., Kim, Y., Choi, W.S., Chun, S.Y., Kwon, H.B. and Lee, B.J.
Progesterone increases mRNA levels of pituitary adenylate cyclase-activating polypeptide (PACAP) and type I PACAP receptor (PAC_1) in the rat hypothalamus (78) 59
Hamabe, W., Fukushima, N., Yoshida, A. and Ueda, H.
Serum-free induced neuronal apoptosis-like cell death is independent of caspase activity (78) 186
Hara, Y., see Yamamoto, Y. (78) 108
Hartvig, L., see Poulsen, C.F. (78) 201
Hastrup, S., see Poulsen, C.F. (78) 201
Ho, I.K., see Jang, C.-G. (78) 204
Holmqvist, B., see Øyan, A.M. (78) 38

Ino, H. and Chiba, T.
Expression of proliferating cell nuclear antigen (PCNA) in the adult and developing mouse nervous system (78) 163
Izquierdo, I., see Paratcha, G. (78) 120

Jang, C.-G., Park, Y., Tanaka, S., Ma, T., Loh, H.H. and Ho, I.K.
Involvement of μ-opioid receptors in potentiation of apomorphine-induced climbing behavior by morphine: studies using μ-opioid receptor gene knockout mice (78) 204

Kang, J.H., see Ha, C.M. (78) 59
Kato, A., see Taniguchi, M. (78) 131
Kim, M.S., see Ha, C.M. (78) 59
Kim, Y., see Ha, C.M. (78) 59
Kobayashi, A., see Taniguchi, M. (78) 131
Kobayashi, S., see Murata, S. (78) 80
Kohmura, E., see Taniguchi, M. (78) 131
Kumura, E., see Taniguchi, M. (78) 131
Kuroiwa, A., see Yoshimura, T. (78) 207
Kwon, H.B., see Ha, C.M. (78) 59

Langlois, X., see Castelli, M.P. (78) 91
Lee, B.J., see Ha, C.M. (78) 59
Leverenz, J.B., see McMillan, P.J. (78) 138
Levesque, M.F., see Palm, K. (78) 192
Leysen, J.E., see Castelli, M.P. (78) 91
Li, A.H., see Wang, H.-L. (78) 146
Loh, H.H., see Jang, C.-G. (78) 204
Lopez, M., see Paratcha, G. (78) 120
Luyten, W.H.M.L., see Castelli, M.P. (78) 91

Ma, T., see Jang, C.-G. (78) 204
Mack, K.J., see Nanda, S.A. (78) 1
Makino, E., see Yoshimura, T. (78) 207
Martinez, J.A., see Baas, D. (78) 26
Maruno, M., see Taniguchi, M. (78) 131
Mason, G., see Smith, S.K.F. (78) 100
Matsuda, Y., see Yoshimura, T. (78) 207
Matute, C., see Morán-Jiménez, M.-J. (78) 50
McMillan, P.J., Leverenz, J.B. and Dorsa, D.M.
Specific downregulation of presenilin 2 gene expression is prominent during early stages of sporadic late-onset Alzheimer's disease (78) 138
Medina, J.H., see Paratcha, G. (78) 120
Mielke, K., see Stroth, U. (78) 175
Mikoshiba, K., see Aruga, J. (78) 15
Mocci, I., see Castelli, M.P. (78) 91
Morán-Jiménez, M.-J. and Matute, C.
Immunohistochemical localization of the $P2Y_1$ purinergic receptor in neurons and glial cells of the central nervous system (78) 50
Mourton-Gilles, C., see Torreilles, F. (78) 181
Mower, G.D., see Chen, L. (78) 196
Murata, S., Usuda, N., Okano, A., Kobayashi, S. and Suzuki, T.
Occurrence of a transcription factor,

0169-328X/00/$ – see front matter © 2000 Elsevier Science B.V. All rights reserved.
PII: S0169-328X(00)00125-X

signal transducer and activators of transcription 3 (Stat3), in the postsynaptic density of the rat brain (78) 80

Namikawa, T., see Yoshimura, T. (78) 207
Nanda, S.A. and Mack, K.J.
Seizures and sensory stimulation result in different patterns of brain derived neurotrophic factor protein expression in the barrel cortex and hippocampus (78) 1
Naylor, R.L., see Smith, S.K.F. (78) 100
Neuman, T., see Palm, K. (78) 192
Nilsen, F., see Øyan, A.M. (78) 38
Nomura, M., see Yamamoto, Y. (78) 108

Ohnishi, T., see Taniguchi, M. (78) 131
Okano, A., see Murata, S. (78) 80
Øyan, A.M., Nilsen, F., Goksøyr, A. and Holmqvist, B.
Partial cloning of constitutive and inducible nitric oxide synthases and detailed neuronal expression of NOS mRNA in the cerebellum and optic tectum of adult Atlantic salmon (*Salmo salar*) (78) 38

Palm, K., Salin-Nordström, T., Levesque, M.F. and Neuman, T.
Fetal and adult human CNS stem cells have similar molecular characteristics and developmental potential (78) 192
Paratcha, G., de Stein, M.L., Szapiro, G., Lopez, M., Bevilaqua, L., Cammarota, M., de Iraldi, A.P., Izquierdo, I. and Medina, J.H.
Experience-dependent decrease in synaptically localized Fra-1 (78) 120
Park, J.-W., see Ha, C.M. (78) 59
Park, Y., see Jang, C.-G. (78) 204
Pau, B., see Torreilles, F. (78) 181
Pau, K.-Y.F., see Caba, M. (78) 69
Poulsen, C.F., Christjansen, K.N., Hastrup, S. and Hartvig, L.
Identification and cloning of a γ3 subunit splice variant of the human $GABA_A$ receptor (78) 201

Robertson, A.G.S., see Smith, S.K.F. (78) 100
Roche, P.A., see Smith, S.K.F. (78) 100
Roquet, F., see Torreilles, F. (78) 181

Salin-Nordström, T., see Palm, K. (78) 192
Serino, R., see Yamamoto, Y. (78) 108
Shibuya, I., see Yamamoto, Y. (78) 108
Shimoda, K., see Aruga, J. (78) 15
Shirahata, A., see Yamamoto, Y. (78) 108
Silver, R., see Caba, M. (78) 69
Smith, S.K.F., Anderson, H.A., Yu, G., Robertson, A.G.S., Allen, S.J., Tyler, S.J., Naylor, R.L., Mason, G., Wilcock, G.W., Roche, P.A., Fraser, P.E. and Dawbarn, D.
Identification of syntaxin 1A as a novel binding protein for presenilin-1 (78) 100
Spies, H.G., see Caba, M. (78) 69
Stroth, U., Blume, A., Mielke, K. and Unger, T.
Angiotensin AT_2 receptor stimulates ERK1 and ERK2 in quiescent but inhibits ERK in NGF-stimulated PC12W cells (78) 175
Suzuki, T., see Murata, S. (78) 80
Suzuki, T., see Yoshimura, T. (78) 207
Suzuki, Y., see Yoshimura, T. (78) 207
Szapiro, G., see Paratcha, G. (78) 120

Tamatani, M., see Taniguchi, M. (78) 131
Tanaka, S., see Jang, C.-G. (78) 204
Taniguchi, M., Yamashita, T., Kumura, E., Tamatani, M., Kobayashi, A., Yokawa, T., Maruno, M., Kato, A., Ohnishi, T., Kohmura, E., Tohyama, M. and Yoshimine, T.
Induction of aquaporin-4 water channel mRNA after focal cerebral ischemia in rat (78) 131
Tohyama, M., see Taniguchi, M. (78) 131
Torreilles, F., Roquet, F., Granier, C., Pau, B. and Mourton-Gilles, C.
Binding specificity of monoclonal antibody AD2: influence of the phosphorylation state of tau (78) 181
Tyler, S.J., see Smith, S.K.F. (78) 100

Ueda, H., see Hamabe, W. (78) 186
Ueta, Y., see Yamamoto, Y. (78) 108
Unger, T., see Stroth, U. (78) 175
Usuda, N., see Murata, S. (78) 80

Vaccarino, F.M., see Baas, D. (78) 26

Wang, H.-L., Wu, T., Chang, W.-T., Li, A.H., Chen, M.-S., Wu, C.-Y. and Fang, W.
Point mutation associated with X-linked dominant Charcot-Marie-Tooth disease impairs the P2 promoter activity of human connexin-32 gene (78) 146
Wikler, K.C., see Baas, D. (78) 26
Wilcock, G.W., see Smith, S.K.F. (78) 100
Wu, C.-Y., see Wang, H.-L. (78) 146
Wu, T., see Wang, H.-L. (78) 146

Yamamoto, Y., Ueta, Y., Hara, Y., Serino, R., Nomura, M., Shibuya, I., Shirahata, A. and Yamashita, H.
Postnatal development of orexin/hypocretin in rats (78) 108
Yamashita, H., see Yamamoto, Y. (78) 108
Yamashita, T., see Taniguchi, M. (78) 131
Yokawa, T., see Taniguchi, M. (78) 131
Yoshida, A., see Hamabe, W. (78) 186
Yoshimine, T., see Taniguchi, M. (78) 131
Yoshimura, T., Suzuki, Y., Makino, E., Suzuki, T., Kuroiwa, A., Matsuda, Y., Namikawa, T. and Ebihara, S.
Molecular analysis of avian circadian clock genes (78) 207
Yu, G., see Smith, S.K.F. (78) 100